



# HUB CITY BEARING CORP



0.787 Inch | 20 Millimeter x 2.047 Inch | 52  
 Millimeter x 0.591 Inch | 15 Millimeter NTN  
 7304BGC3 Angular Contact Ball Bearings

Bearing No. 7304BGC3

7304BGC3 Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.146
EAN	4547359448498
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	40 Degree
Internal Clearance	C3-Loose
Number of Bearings	1 (Single)
Mounting Arrangement	Universal
Inch - Metric	Metric
Long Description	20MM Bore; 52MM Outside Diameter; 15MM Width; Open; Yes Flush Ground; Ball Bearing; Single



## HUB CITY BEARING CORP

	Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; C3-Loose; Steel Cage; 40 Degree; 1 (Single); Un
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
d	0.787 Inch   20 Millimeter
B	0.591 Inch   15 Millimeter
D	2.047 Inch   52 Millimeter
bore diameter:	20 mm
radial static load capacity:	9650 N
outside diameter:	52 mm
operating temperature range:	-40 to 120 ° C
overall width:	15 mm
cage material:	Steel
contact angle:	40 °
maximum rpm:	18000 rpm
row type & fill slot:	Single-Row Non-Fill Slot
finish/coating:	Uncoated
bore type:	Round
precision rating:	ISO Class 0
closure type:	Open
fillet radius:	1.1 mm
snap ring included:	Without Snap Ring
weight:	0.146 kg
bearing material:	High Carbon Chrome Steel
manufacturer product page:	<a href="#">Click here</a>



# HUB CITY BEARING CORP

radial dynamic load capacity:	17300 N
----------------------------------	---------